



CIAM118000

**Canon**

**リモートコントローラー RC-6**

**Remote Controller RC-6**

**Télécommande RC-6**


**Control Remoto RC-6**

**Infrarot-Fernauslöser RC-6**

**1** **リリースモード**  
**Release Mode**  
**Mode de déclenchement**  
**Modo de disparo**  
**Auslösemodus**

— 即リリース  
Immediate release  
Déclenchement  
immédiat  
Disparo inmediato  
Sofortige Auslösung

2秒後リリース —  
Release after 2 seconds  
Déclenchement après  
un délai de 2 secondes  
Disparo tras 2 segundos  
Auslösung nach 2 Sekunden





## 2 撮影

Taking Pictures

Prise de photos

Toma de fotografías

Fotografieren



送信ボタン

Transmit button

Bouton de transmission

Botón de transmisión

Sendetaste


### 3 ケースの取り付け方

Attaching the soft case

Fixation de l'étui souple

Colocación de la funda

Tasche befestigen





#### 4 電池の交換

Replacing the  
Battery

Remplacement  
de la pile


Sustitución de  
la pila

Austausch der  
Batterie



# **E** Instructions

## ■ Taking Pictures

- Set the camera drive mode to  (remote control shooting). For more information, read the pages on drive mode or remote control shooting in the camera's instruction manual.
- Remote control shooting may not be possible under backlit conditions.
- During remote control shooting, attach the eyepiece cover to the viewfinder eyepiece.

## ■ Bulb Shooting (Long Exposure)

During bulb shooting, pressing the transmit button once locks the shutter in the open state, and pressing it again closes the shutter. It is not necessary to hold down the transmit button.

## ■ Replacing the Battery

When the effective range decreases, replace the battery. Use one button lithium cell battery CR2032.

- Keep batteries out of reach of children.
- If swallowed, contact a physician immediately.

## ■ Specifications

Type:	Infrared remote controller
Operating range:	Approx. 5 m/16.4 ft. in front of camera
Battery:	Button lithium cell battery CR2032
Battery life:	Approx. 6,000 transmissions
Dimensions (L × W × H):	64 × 35 × 6 mm 2.5 × 1.4 × 0.2 in.
Weight:	Approx. 9 g/0.3 oz (without battery)

- All the specifications above are based on Canon's testing standards.
- The product specifications and exterior are subject to change without notice.